

Work Order ID 85231

June-04-12 3:53:03 PM

85231

Page 1

Item ID: D3242-1

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Tag

Start Date: 04/06/2012 Start Qty: 20.00

20

Cust Item ID:

Required Date: 18/06/2012 Req'd Qty: 20.00

20

Customer:

Reference:

Approvals:

Process Plan: MLJ

Date: 12/06/05 Tooling:

Date:

Run Start

NR1

QC:

Date: SPC (Y/N):

Date:

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3242	Rev C

100 PURCHASING 0.00

100

Purchasing

Memo

0.00

Purchasing

Issue P/O: 17129 D3242-1 Tag as per Dwg D3242Material: Hyland Industries M0100840 urethane coated nylon (orange color); use 0.25" high black letteringPossible Supplier: Tulmar Safety Systems Inc. Mat'l #1508Material release note is required

CX 12/06/05 20

110 Receive & Inspect for Damage & Mat'l Certs 0.00

110

Packaging

Memo

0.00

Packaging

Ensure Material Release Note is attached

P. 12/6/05 (20)

120 QC6- Inspect dimensions to drawing 0.00

120

QC

Memo

0.00

Quality Control

8/7/06/09

(X20)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 85231

85231

Page 2

June-04-12 3:53:03 PM

Item ID: D3242-1

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Tag

Start Date: 04/06/2012 Start Qty: 20.00

20

Cust Item ID:

Required Date: 18/06/2012 Req'd Qty: 20.00

20

Customer:

Reference:

Run Start

NR1

Approvals:

Process Plan:

Date:

Tooling:

Date:

Stop

NR2

QC:

Date:

SPC (Y/N):

Date:

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

130

Identify as per dwg & Stock Location:

6-A

0.00

130

Packaging

Memo

0.00

Packaging

20

12/06/19

140

QC21- Final Inspection - Work Order Release

0.00

140

QC

Memo

0.00

Quality Control

12/06/20

MF
12-06-19

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

June-04-12 3:53:07 PM

Page 1

Work Order ID: 85231

85231

Parent Item: D3242-1

D3242-1

Parent Item Name: Tag

Start Date: 04/06/2012

Required Date: 18/06/2012

Start Qty: 20.00

Required Qty: 20.00

Comments:

IPP A04.02.20New issueKJ/DS

IPP Rev:B 08-03-18 chg to revC

DD verified by:

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D3242-1P

Purchased

No

100

Each

0.0000

1

20

D3242-1P

**

Tag

12/6/12 *(20)*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries

DART

DESIGN #	DRAWN BY CB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED LE	APPROVED #	DRAWING NO. D3242	REV. C SHEET 1 OF 1
DATE 07.04.03		TITLE TAG	SCALE 1:1
A	04.01.06	NEW ISSUE	
B	04.02.09	RE-DESIGN	
C	07.04.03	CORRECT/UPDATE MATERIAL; ADD TOL; ADD 0.25 DIM; SPECIFY PRINTING SIDE	

RELEASED

07.04.09

**D3242-1 TAG**

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 85231 MCC
12/26/05

NOTES:

- 1) MATERIAL: HIGHLAND INDUSTRIES M0100840 URETHANE COATED NYLON, ORANGE (REF TULMAR MATERIAL #1508)
OR
LAMCOTEC COATING TECHNOLOGIES INC. 200 DENIER URETHANE COATED NYLON, #310 ORANGE (REF TULMAR MATERIAL #1703)
- 2) ALL DIMENSIONS ARE IN INCHES
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

PACKING SLIP

TULMAR

Tulmar Safety Systems Inc.
1123 Cameron Street
Hawkesbury, ON K6A 2B8 CA
Tel: 613-632-1282
Fax: 613-632-2030
MID : XOTULSAF1123HAW
email: info@tulmar.com

Packing Slip No.

44344

Ship Date

18-Jun-12

Bill To:

Dart Aerospace

1270 Aberdeen Street

Hawkesbury, ON K6A 1K7. Canada

Ship to:

Dart Aerospace

1270 Aberdeen Street

Att: Chantal Lavoie

Tel: 613-632-9577

Hawkesbury, ON K6A 1K7. Canada

Order number

28714

Sales order date

5-Jun-12

Account number

CDART100

Account manager

Helena Vandeweerd

PO number

PO17129

Ship Via

Pick-Up

Shipping Terms

FOB HAWKESBURY

Item No.

Description

Quantity ordered

UOM

Qty Shipped/Returned

Quantity on back order

72-001

10

EA

10

Strap, Colour Red, 25 3/4" Long x 2" Wide, "Remove Before Flight"

Drawing No: D3949 (p/n D3949-041 Rev A)

DWG Rev: A

Lot No: BATCH0000000003 Qty: 10

8972-002

20

EA

20

Strap, Colour Red, 25 3/4" L x 2" W/"Gross Weight Towing Cable"

Drawing No: D3949 (p/n D3949-043 Rev A)

DWG Rev: A

Lot No: BATCH0000000002 Qty: 20

5385

20

EA

20

Label Dart, Black letters/Size 3"x 1/2"

Drawing No: D3242 (P/N D3242-1)

DWG Rev: C

Lot No: BATCH00000000024 Qty: 20

Shipper

Rue Reed

Date:

JUN 18 2012

Certificate of Conformance

☒ See Certification Enclosed

I hereby certify that the items listed hereon have been inspected, and / or tested (as applicable), conform to all specifications and requirements detailed in the contract or purchase order. Objective evidence to support this statement is on file, and can be made available upon request.

If any questions or concerns, please contact QA Manager @ 613-632-1282 ext. 245.

Authorized Inspector

Royanne Gauthier

Date:

JUN 18 2012



THE

DISCOVERY/LANCER GROUP


1-145 Riviera Drive, Markham Ontario L3R-5J6

Tel: 905-470-0744

Fax: 905-470-9454

**Certificate of Compliance**DATE: JAN. 13 2012OUR PROD. NO.: 11025 (1016G)CUSTOMER P/O NO.: 22446-00CUSTOMER: Tulmar Safety Systems Inc.PRODUCT: TW MULTI PLASTIC INKQTY. SHIPPED: 1 GALLONLOT NO.: 061511026ROLL NO.: MANUFACTURING DATE: JUNE 15th 2011SHELF-LIFE: 5 YEARS

We certify that the product,

11025 BLACKTW MULTI PLASTIC INKwas manufactured, inspected and Conforms to specifications
applicable to the product.Signature: Title: SHIPPER

FOR

P/O 5385

TSS 7306 / 29

JAN 17 2012

AC

0507-259-519

02.101 2007/00/11



THE

DISCOVERY/LANCER GROUP


1-145 Riviera Drive, Markham Ontario L3R-5J6
Tel: 905-470-0744 Fax: 905-470-9454



Certificate of Compliance

DATE: JUNE 23 2011OUR PROD. NO.: TW-1091-4CUSTOMER P/O NO.: 20699-00CUSTOMER: Tulmar Safety Systems Inc.PRODUCT: TW MULTI PLASTIC RETARDERQTY. SHIPPED: 1 LITRELOT NO.: 311330ROLL NO.: MANUFACTURING DATE: MARCH 2011SHELF-LIFE: 5 YRS

We certify that the product,

TW-1091-4TW MULTI PLASTIC RETARDERwas manufactured, inspected and Conforms to specifications
applicable to the product.Signature: Title: SHIPPERTES # 7306-RET/08

0507-259-579

PZ:01 2007/00/11

Highland Industries, Inc.
215 Drummond St. Kernersville, NC 27284
336-993-2154

Certificate of Compliance

DATE: 2/16/2012
OUR PROD. NO. M0100840 / 1508
CUSTOMER P/O NO. PO 21993-00
CUSTOMER: Tulmar Safety Systems Inc.
PRODUCT: 200D OX Orange 46" PU coated
QTY SHIPPED: 2486 yards
LOT NO.: 281935
MFG DATE: 1/31/2012
ROLL NO.: 001-017
SHELF LIFE: Not Determined

Sizloles


We certify that the product,

1508 Cloth, PU/Nylon, 200Den, Orange, TSO C13F

was manufactured, inspected and Conforms to specifications applicable to the product.

Signature: *Scott*
Title: Quality Engineer

TSC 1508 / 1508



J. ENNIS FABRICS LTD.

Wholesale Distributor of Textiles and Supplies

December 8, 2011

Fax To: Tulmar Safety Systems

Fax: 613-632-2030

Attention: Meagan

Fax From: Sharon James

EDMONTON

HEAD OFFICE

12122 - 68 Street
Edmonton, AB T5B 1R1
Canada
Phone: (780) 474-5721

Certificate of Conformance

Re: PO 22088-00 Sportlight 11 Red

The goods shipped on P/O 22088-00 are as per sampled goods. Specification as follows:
As per mill documentation, **Sportlight 11 Red** is in compliance with the following standards:

Width:	Product is 58 inches wide.
Roll Size:	Average roll length is 50 yards.
Weight:	Product weight is 21.18 ounces per lineal yard. Product weight is 13.15 ounces per square yard.
Content:	100% Nylon
Coating:	Product has a Polyvinyl Chloride Coating
Denier:	420 Denier
Thread Count:	Construction is 48 x 34 threads per square inch.
Protective Finish:	Product is water repellant.
Hydro Resist:	Product has hydro-resistant properties. AATCC 127-1988: 5000mm
Breaking:	CAN 2-4.2-M77 Method 9.2 C.R.E. Grab: Warp: 408 lbs, Weft: 304 lbs
Tearing:	CAN 2-4.2-M77 Method 12.3 Pendulum: Warp: 25 lbs, Weft: 17.5 lbs
Elongation:	CAN 2-4.2-M77 Method 9.2 C.R.E. Grab: Warp: 58%, Weft: 51%
Cold Crack:	Cold Crack is - 20 degree Celsius
Cautions:	Not dimensionally stable with temperature change. Product fades with prolonged U.V. Exposure. PVC can crack or peel with exposure to extreme cold or solvents. Nylon is not suitable for boat tops, travel covers, tonneau covers or other outdoor applications.

TORONTO
6300 Kenway Drive
Mississauga, ON L5T 2N3
Canada

CALGARY
2nd Floor, 337 - 17 Avenue SW
Calgary, AB T2S 0A5
Canada

VANCOUVER
13911 Bridgeport Road
Richmond, BC V6V 1J6
Canada

MONTREAL
9280 boulevard du Golf
Anjou, QC H1J 3A1
Canada

Manufacture Date: 8/19/11

Lot Number: 400326

Sincerely,
J. Ennis Fabrics Ltd.

S. James

Sharon James
Product Development

English: 1-800-66-ENNIS

Fax: (780) 479-6135
www.jennisfabrics.com

Français: 1-888-66-ENNIS

TS # 1738/02

FOR D3949-041 & D3949-042

LORD & HODGE, Inc.

Grommets • Snap Fasteners • Vacu-Vises™

P.O. Box 737, Middletown, CT 06457-0737

TEL (860) 632-7006 FAX (860) 632-2192

Web: www.lordandhodge.com

E-mail: customerservice@lordandhodge.com

WE CERTIFY THAT MATERIAL SUPPLIED ON:

PACKING LIST #: 84640



DATED: NOVEMBER 3, 2006

P.O. #: 11975

SOLD TO: TULMAR SAFETY SYSTEMS

QUANTITY: 35 GROSS

IS IN ACCORDANCE WITH SPECIFICATIONS: #1 GROM.& WASH.-BRASS


Signature Title

11/01/06 (6)



cansew inc.

formerly / anciennement
Canadian Sewing Supply Ltd. / Ltée — established / établie 1924

Manufacturers of sewing threads. / Wholesalers of elastics, Velcro, tapes, trimmings
Fabricants de fils à coudre. / Grossistes d'élastiques, Velcro, galons, garnitures.

27 September 2011

Tulmar Safety Systems
1123 Cameron Street
Hawksbury, Ontario
K6A 2B8

Att. Sandra Nadeau

CERTIFICATE OF COMPLIANCE

This is to certify that the item mentioned below, shipped to Tulmar Safety Systems by CANSEW INC. on 27 September 2011, has been produced in accordance with the requirements of your Purchase Order no. 21401-00 of 26 September:

-Thread, nylon, CBB69, colour #51 (red), V-T-295, type 2, class A, size E — 9.72 lb, lot # 1644502

Yours truly,

Hershie Schachter
CANSEW INC.

TSS # 2532/04 (S)

MONTREAL - Head Office/Siège social

111 Chabanel W / O H2N 1C9
Administration (514) 382-2807
Commandes/Orders (514) 382-2801
1-800-361-7722
FAX: (514) 385-5530

TORONTO

28 Apex Rd. M6A 2V2
(416) 782-1122
1-800-387-8584
FAX: (416) 782-8358

WINNIPEG

1674 Church Ave R2X 2W9
(204) 942-4264
1-800-665-0701
FAX: (204) 947-9280

CALGARY

3932 - 29th St. N.E. T1Y 6B6
(403) 291-4494
1-800-667-4197
FAX: (403) 291-5139

VANCOUVER

1615 Venables St. V5L 2H1
(604) 682-4341
1-800-580-0737
FAX: (604) 682-4196

American Coding and Marking Ink Co.

INCORPORATED



1220 NORTH AVENUE
PLAINFIELD, NJ 07062
Phone: 908-756-0373 Fax: 908-756-0570
Web Site: www.americancoding.com
Email: customer@americancoding.com

Certificate of Compliance

Reference: ACMI #2000
Federal Specification A-A-208B Type I & IV

Customer: Tulmar Safety Systems
PO#: 22304-00
Date: 1/12/12

<u>LOT #</u>	<u>MFG. DATE</u>	<u>QUANTITY</u>	<u>DESCRIPTION</u>	<u>SHELF LIFE</u>
120106	1/6/12	4 Quarts	ACMI #2000NL Black shade 37038	24 Months
120106	1/6/12	2 Quarts	ACMI #2000NL White shade 37875	24 Months
120106	1/6/12	2 Pints	ACMI #2000 Red	24 Months

This is to certify that the above mentioned ink meets the performance requirements of the Federal Specification indicated. These inks must be shaken well before use.

Solvent for thinning and reconditioning should be purchased from ACMI. Objective evidence substantiating specification compliance is available upon request.

Thomas Sweet
Thomas S. Sweet
President

970130

BS 7301-white/10